

Interference Searched

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	1523	(711/212,213,2,220).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/19 17:25
L10	1	L9 AND ((OPCODE OR "operation code identifier") AND (CPU OR "central processing unit") AND monitor\$3 AND (data OR traffic) AND memory AND forming AND address\$3 AND size AND larger AND command AND descriptor).clm.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 17:29

☐ Search Session History

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Thu, 19 Jan 2006, 2:50:09 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

		Results
#1	(((cpu* or processor* or microprocessor or ~micro processor~) <near/5> address* <near/5> (memory or ram or rom or sram or sdram or dram))<in>metadata)	60
#2	(((cpu* or processor* or microprocessor or ~micro processor~) <near/5> address* <near/5> ((larger or bigger or higher or greater) <near/3> (memory or ram or rom or sram or sdram or dram)))<in>metadata)	1
#3	(((cpu* or processor* or microprocessor or ~micro processor~) <near/5> address* <near/5> ((larger or bigger or higher or greater) <near/3> (memory or ram or rom or sram or sdram or dram)))<in>metadata)	1
#4	(((cpu* or processor* or microprocessor or ~micro processor~) <near/5> address* <near/5> ((memory or ram or rom or sram or sdram or dram) <near/3> (size* or capicit* or volume* or bit or bits)))<in>metadata)	0

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	((("5485624") or ("6023750") or ("6026478") or ("5734857")).PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/17 14:00
S2	631	(711/212-213).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:09
S4	2303	(711/202,208,220,6).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:09
S5	1752	(711/201,3,203).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:10
S6	168	(CPU\$1 OR processor\$1 OR microprocessor\$1 OR (micro ADJ processor\$1)) near5 (address\$3) near5 ((larger OR bigger OR higher OR greater) near3 memory)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:12
S7	8	S6 AND S2	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:33
S8	2	"20040177230"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:13
S9	172624	(CPU\$1 OR processor\$1 OR microprocessor\$1 OR (micro ADJ processor\$1)) near5 ((operation\$2 ADJ code ADJ identif\$4) OR instruction\$1 OR command\$1 OR OPCODE\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:00

S10	50	(US-4414626-\$ or US-4482955-\$ or US-5390310-\$ or US-4888688-\$ or US-5404560-\$ or US-6425039-\$ or US-5212795-\$ or US-4250545-\$ or US-4258419-\$ or US-4293907-\$ or US-5596734-\$ or US-5796989-\$ or US-4365294-\$ or US-4387423-\$ or US-4471432-\$ or US-4504906-\$ or US-4510580-\$ or US-4562442-\$ or US-4591979-\$ or US-4755997-\$ or US-4804284-\$ or US-4827512-\$ or US-4835675-\$ or US-4926318-\$ or US-4926347-\$ or US-4994957-\$). did. or (US-5182807-\$ or US-5197147-\$ or US-5245572-\$ or US-5297029-\$ or US-5361343-\$ or US-5369747-\$ or US-5448524-\$ or US-5511219-\$ or US-5535417-\$ or US-5634099-\$ or US-5721872-\$ or US-5751995-\$ or US-5754762-\$ or US-5860022-\$ or US-6003134-\$ or US-6060999-\$ or US-6269429-\$ or US-6448885-\$ or US-6587916-\$ or US-6751153-\$ or US-6393569-\$ or US-5581722-\$ or US-5659798-\$ or US-4500962-\$).did.	USPAT	OR	ON	2006/01/18 16:33
S11	1	S6 AND S10	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:33
S12	2904	(monitor\$3 OR snoop\$3 OR track\$3 OR observ\$3 OR detect\$3 OR watch\$3 OR examin\$3) near5 (data OR datum OR traffic\$4 OR communication\$1) near4 (CPU\$1 OR processor\$1 OR microprocessor\$1 OR (micro ADJ processor\$1)) near4 (memory OR RAM OR ROM OR SRAM OR SDRAM OR DRAM)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:36
S13	139	S12 WITH S9	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:36
S14	97	S12 near5 S9	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:36
S15	1	(S12 near5 S9) AND S2	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:37

S16	0	(S12 near5 S9) AND S10	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:37
S18	8	((("5485624") or ("6023750") or ("6026478") or ("5734857"))).PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/18 16:37
S19	0	(S12 near5 S9) AND S18	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:37
S20	1	(S12 WITH S9) AND S2	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:42
S21	0	(S12 WITH S9) AND S10	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:37
S22	0	(S12 WITH S9) AND S18	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:37
S23	1	(S12 SAME S9) AND S2	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:38
S24	6	(S12 SAME S9) AND (S2 OR S4 OR S5)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:41
S26	9	(S12 SAME S9) AND (711/2??cccls.)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:48
S27	9	(S12 AND S9) AND S2	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:42
S29	22	(S12 AND S9) AND (711/2??cccls.) NOT (S27 OR S26)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 16:49
S30	54013	(data OR datum) near5 ((contain\$3 OR includ\$3 OR compris\$3 OR consist\$3 OR "comprises") near4 ((operation\$2 ADJ code ADJ identif\$4) OR instruction\$1 OR command\$1 OR OPCODE\$1 OR (operation\$2 ADJ code\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:27

S31	151945	(form\$3 OR creat\$3 OR mak\$3 OR build\$3 OR develop\$3 OR generat\$3) near4 address\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:13
S32	284	S30 near5 S31	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:34
S33	7	S32 AND S2	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:18
S34	18	S32 AND (S2 OR S4 OR S5) NOT S33	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:46
S35	36142	(data OR datum) near5 ((contain\$3 OR includ\$3 OR compris\$3 OR consist\$3 OR "comprises") near4 ((operation\$2 ADJ code ADJ identif\$4) OR instruction\$1 OR OPCODE\$1 OR (operation\$2 ADJ code\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 17:28
S36	363	S35 WITH S31	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:05
S37	7	S36 AND S2 NOT (S33)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:05
S38	19	S36 AND (S2 OR S4 OR S5) NOT (S33 OR S34 OR S37)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:14
S39	868	S35 SAME S31	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:05
S40	15	S39 AND S2 NOT (S33 OR S37)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:05
S41	50	S39 AND (S2 OR S4 OR S5) NOT (S33 OR S34 OR S37 OR S40)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/18 18:14
S42	631	(711/212-213).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:11

S43	1752	(711/201,3,203).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:10
S44	5	("4340932" "5590302" "5771363" "5819078" "6233659").PN. OR ("6564283").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 09:39
S45	2996	(711/202,208,220,6,2,1).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/19 09:40
S46	2	("5485624").PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/19 10:11
S47	546764	(operation\$2 ADJ code ADJ identif\$4) OR instruction\$1 OR OPCODE\$1 OR (operation\$2 ADJ code\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:36
S48	152153	(form\$3 OR creat\$3 OR mak\$3 OR build\$3 OR develop\$3 OR generat\$3) near4 address\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:28
S50	1787	S48 near5 (bas\$3 OR respon\$4 OR react\$4 OR relat\$3 OR depend\$3 OR contingent\$2 OR reliant\$2 OR conditional\$2) near5 S47	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:40
S51	61	S50 AND S42	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:38
S52	55	S50 AND S42 AND @ad<"20020718"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:38
S53	87	S50 AND S45 AND @ad<"20020718" NOT (S52)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:56
S54	18621	(operation\$2 ADJ code ADJ identif\$4) OR OPCODE\$1 OR (operation\$2 ADJ code\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 10:57
S55	61	S48 near5 (bas\$3 OR respon\$4 OR react\$4 OR relat\$3 OR depend\$3 OR contingent\$2 OR reliant\$2 OR conditional\$2) near5 S54	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:01
S56	7	S55 AND (S42 OR S43 OR S45)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:01

S57	259	S48 WITH (bas\$3 OR respon\$4 OR react\$4 OR relat\$3 OR depend\$3 OR contingent\$2 OR reliant\$2 OR conditional\$2) WITH S54	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:10
S58	18	S57 AND (S42 OR S43 OR S45) NOT S56	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:11
S59	165	S48 near6 (bas\$3 OR respon\$4 OR react\$4 OR relat\$3 OR depend\$3 OR contingent\$2 OR reliant\$2 OR conditional\$2) near10 S54	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:11
S60	0	S59 AND (S42 OR S43 OR S45) NOT (S56 OR S58)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:12
S61	187	S48 WITH (bas\$3 OR respon\$4 OR react\$4 OR relat\$3 OR depend\$3 OR contingent\$2 OR reliant\$2 OR conditional\$2) near6 S54	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:11
S62	0	S61 AND (S42 OR S43 OR S45) NOT (S56 OR S58)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:12
S63	9	"8300240"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:25
S64	13	"005723"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:26
S65	1	"09267796"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:27
S66	0	"09267796".prn.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 11:27
S67	2	("6349380").PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/01/19 11:27
S68	9	("4679140" "4876639" "4893235" "5666510" "5680567" "5687344" "5809274").PN. OR ("6314504").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/19 12:00

S69	15	(US-20040177230-\$).did. or (US-6023750-\$ or US-5734857-\$ or US-6314504-\$ or US-5590296-\$ or US-6199155-\$ or US-6564283-\$ or US-4675810-\$ or US-4340932-\$ or US-5485624-\$ or US-6026478-\$ or US-5826074-\$ or US-6560694-\$ or US-6349380-\$).did. or (EP-83343-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/01/19 12:43
S70	4	S69 AND ((jump near5 (CPU\$1 OR processor\$1 OR microprocessor\$1 OR (micro ADJ processor\$1))) near5 (jump near5 address\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 12:53
S71	17	S42 AND ((jump near5 (CPU\$1 OR processor\$1 OR microprocessor\$1 OR (micro ADJ processor\$1))) near5 (jump near5 address\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 12:53
S72	50	(US-4414626-\$ or US-4482955-\$ or US-5390310-\$ or US-4888688-\$ or US-5404560-\$ or US-6425039-\$ or US-5212795-\$ or US-4250545-\$ or US-4258419-\$ or US-4293907-\$ or US-5596734-\$ or US-5796989-\$ or US-4365294-\$ or US-4387423-\$ or US-4471432-\$ or US-4504906-\$ or US-4510580-\$ or US-4562442-\$ or US-4591979-\$ or US-4755997-\$ or US-4804284-\$ or US-4827512-\$ or US-4835675-\$ or US-4926318-\$ or US-4926347-\$ or US-4994957-\$). did. or (US-5182807-\$ or US-5197147-\$ or US-5245572-\$ or US-5297029-\$ or US-5361343-\$ or US-5369747-\$ or US-5448524-\$ or US-5511219-\$ or US-5535417-\$ or US-5634099-\$ or US-5721872-\$ or US-5751995-\$ or US-5754762-\$ or US-5860022-\$ or US-6003134-\$ or US-6060999-\$ or US-6269429-\$ or US-6448885-\$ or US-6587916-\$ or US-6751153-\$ or US-6393569-\$ or US-5581722-\$ or US-5659798-\$ or US-4500962-\$).did.	USPAT	OR	ON	2006/01/19 14:31
S73	1	S50 AND S72	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:31
S74	863230	(operation\$2 ADJ code ADJ identif\$4) OR instruction\$1 OR OPCD OR command\$1 OR OPCODE\$1 OR (operation\$2 ADJ code\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:37

S77	869267	(operation\$2 ADJ code ADJ identif\$4) OR instruction\$1 OR OPCODE OR command\$1 OR OPCODE\$1 OR (operation\$2 ADJ code\$1) OR operand\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:37
S78	442	S77 AND S42 AND @ad<"20020718" NOT S52	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:41
S79	442	S74 AND S42 AND @ad<"20020718" NOT S52	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:39
S81	2591	S48 near5 (bas\$3 OR respon\$4 OR react\$4 OR relat\$3 OR depend\$3 OR contingent\$2 OR reliant\$2 OR conditional\$2) near5 S74	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:53
S82	4	S81 AND S42 AND @ad<"20020718" NOT S52	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 14:58
S83	95	S81 AND S45 AND @ad<"20020718" NOT (S52 OR S82 OR S56 OR S58)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:56
S84	77	S81 AND S45 AND @ad<"20020718" NOT (S52 OR S82 OR S56 OR S58 OR (TLB OR (translation ADJ lookaside ADJ buffer)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:57
S85	5489	S48 WITH (bas\$3 OR respon\$4 OR react\$4 OR relat\$3 OR depend\$3 OR contingent\$2 OR reliant\$2 OR conditional\$2) WITH S74	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 15:54
S90	23	S85 AND S42 AND @ad<"20020718" NOT (S52 OR S82 OR S56 OR S58 OR (TLB OR (translation ADJ lookaside ADJ buffer)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:03
S92	65	S85 AND S45 AND @ad<"20020718" NOT (S52 OR S82 OR S56 OR S58 OR S84 OR S90 OR (TLB\$1 OR (translation ADJ lookaside ADJ buffer\$1)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:22

S93	50	(US-4414626-\$ or US-4482955-\$ or US-5390310-\$ or US-4888688-\$ or US-5404560-\$ or US-6425039-\$ or US-5212795-\$ or US-4250545-\$ or US-4258419-\$ or US-4293907-\$ or US-5596734-\$ or US-5796989-\$ or US-4365294-\$ or US-4387423-\$ or US-4471432-\$ or US-4504906-\$ or US-4510580-\$ or US-4562442-\$ or US-4591979-\$ or US-4755997-\$ or US-4804284-\$ or US-4827512-\$ or US-4835675-\$ or US-4926318-\$ or US-4926347-\$ or US-4994957-\$). did. or (US-5182807-\$ or US-5197147-\$ or US-5245572-\$ or US-5297029-\$ or US-5361343-\$ or US-5369747-\$ or US-5448524-\$ or US-5511219-\$ or US-5535417-\$ or US-5634099-\$ or US-5721872-\$ or US-5751995-\$ or US-5754762-\$ or US-5860022-\$ or US-6003134-\$ or US-6060999-\$ or US-6269429-\$ or US-6448885-\$ or US-6587916-\$ or US-6751153-\$ or US-6393569-\$ or US-5581722-\$ or US-5659798-\$ or US-4500962-\$).did.	USPAT	OR	ON	2006/01/19 16:23
S94	152153	(form\$3 OR creat\$3 OR mak\$3 OR build\$3 OR develop\$3 OR generat\$3) near4 address\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:23
S95	863230	(operation\$2 ADJ code ADJ identif\$4) OR instruction\$1 OR OPCD OR command\$1 OR OPCODE\$1 OR (operation\$2 ADJ code\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:23
S96	5489	S94 WITH (bas\$3 OR respon\$4 OR react\$4 OR relat\$3 OR depend\$3 OR contingent\$2 OR reliant\$2 OR conditional\$2) WITH S95	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:23
S97	7	S96 AND S93	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/01/19 16:24